

according to Regulation (EC) No 1907/2006 (REACH) as amended

**S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD**

Creation date	29th May 2017	Version	2.0
Revision date	13th December 2022		

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier** S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD  
Substance / mixture mixture  
UFI 7S3W-402A-J00X-K8D1  
Other mixture names  
FUNGICIDAL IMPREGNATION

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Mixture's intended use**

Preventive chemical surface protection of timber surfaces against attacks of mould, wood-staining and wood-decaying fungi and wood-destroying insect. Biocide.  
Type marking according to ČSN 490600-1: Fb, B, P, Ip, 1, 2, 3, S

**Main intended use**

PP-BIO-8 Wood preservatives

**Mixture uses advised against**

The product should not be used in ways other than those referred in Section 1.

**1.3. Details of the supplier of the safety data sheet****Manufacturer**

Name or trade name	BARVY A LAKY TELURIA,s.r.o.
Address	č.p.1, Skrchov, 679 61 Czech Republic
Identification number (CRN)	43420371
VAT Reg No	CZ43420371
Phone	+420 516 474 211
E-mail	info@teluria.cz
Web address	http://www.bal.cz

**Competent person responsible for the safety data sheet**

Name	BARVY A LAKY TELURIA,s.r.o.
E-mail	info@teluria.cz

**1.4. Emergency telephone number**

European emergency number: 112

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Asp. Tox. 1, H304  
Aquatic Chronic 1, H410

Full text of all classifications and hazard statements is given in the section 16.

**Most serious adverse effects on human health and the environment**

May be fatal if swallowed and enters airways. Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006 (REACH) as amended

## S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD

Creation date	29th May 2017	Version	2.0
Revision date	13th December 2022		

### 2.2. Label elements

#### Hazard pictogram



#### Signal word

Danger

#### Hazardous substances

Hydrocarbons, C10 – C13, n-alkanes, isoalkanes, cyclics, &lt; 2 % aromatics

#### Hazard statements

H304	May be fatal if swallowed and enters airways.
H410	Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing vapours.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection.
P301+P310	IF SWALLOWED: Immediately call a doctor.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P501	Dispose of contents/container to in accordance with local regulations by handing over to a person authorized to dispose of waste or a site designated by the town.

#### Supplemental information

EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains 3-iodo-2-propynyl butylcarbamate, permethrin (ISO). May produce an allergic reaction.

Density	0,805 g/cm <sup>3</sup> at 23 °C (EN ISO 2811-1)
---------	--

VOC	0,92 kg/kg
-----	------------

TOC	0,77 kg/kg
-----	------------

Dry matter	6 % volume
------------	------------

VOC limit value	cat. A (h) SB: 750 g/l
-----------------	------------------------

Max. VOC content in the product in its ready to use condition	749 g/l
---	---------

#### Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Substances are neither listed in Annex XIV of REACH nor on the REACH candidate list of substances of very high concern (SVHC). If swallowed may cause lungs injury (aspiration bronchopneumonia).

according to Regulation (EC) No 1907/2006 (REACH) as amended

## S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD

Creation date	29th May 2017	Version	2.0
Revision date	13th December 2022		

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Solution of alkyd resin in organic solvent with a mixture of additives and biocidal substances.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-327-00-6 EC: 918-481-9 Registration number: 01-2119457273-39	Hydrocarbons, C10 – C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics	88	Asp. Tox. 1, H304 EUH066	1, 2
Index: 616-212-00-7 CAS: 55406-53-6 EC: 259-627-5	3-iodo-2-propynyl butylcarbamate	<0,50	Acute Tox. 4, H302 Skin Sens. 1, H317 Eye Dam. 1, H318 Acute Tox. 3, H331 STOT RE 1, H372 (larynx) Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
Index: 603-197-00-7 CAS: 107534-96-3 EC: 403-640-2 Registration number: nepodléhá registraci REACH	tebuconazole (ISO)	<0,24	Acute Tox. 4, H302 Repr. 2, H361d Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=10)	
Index: 613-058-00-2 CAS: 52645-53-1 EC: 258-067-9	permethrin (ISO)	<0,067	Acute Tox. 4, H302+H332 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1 000) Aquatic Chronic 1, H410 (M=1 000)	

##### Notes

- Note P: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260- P262-P301 + P310-P331 shall apply. This note applies only to certain complex oil-derived substances in Part 3.
- Fulfilled Note P

Full text of all classifications and hazard statements is given in the section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

according to Regulation (EC) No 1907/2006 (REACH) as amended

## S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD

Creation date	29th May 2017	Version	2.0
Revision date	13th December 2022		

### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

### If swallowed

DO NOT INDUCE VOMITING! If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Provide medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

#### 4.2. Most important symptoms and effects, both acute and delayed

##### If inhaled

Cough, headache.

##### If on skin

Not expected.

##### If in eyes

Not expected.

##### If swallowed

Irritation, nausea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. Pay attention: contains organic solvents. Ingestion or vomiting may occur due to aspiration into the lungs and then a rapid absorption and damage to other organs. In case of suspected break-liquid ingredients into the lungs get medical help immediately. Get medical supervision for at least 48 hours after ingestion of liquid.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

##### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

according to Regulation (EC) No 1907/2006 (REACH) as amended

## S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD

Creation date	29th May 2017	Version	2.0
Revision date	13th December 2022		

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

For workers apart from emergency teams: Avoid inhalation of vapour, prevent skin and eye contact. Wear appropriate protective clothing and gloves. Wear eye protection and face shield if necessary. Use suitable respiratory protection. In closed spaces, ensure fresh air supply. Eliminate all ignition sources. No smoking and no open fire. Keep unnecessary personnel away.

For members of emergency teams: Use appropriate personal protective equipment – protective clothing with antistatic finish and impermeable work shoes. Treat unprotected skin with barrier cream. Anti-chemical protective gloves. For short-time exposure or low concentration, use respirator with organic vapour and dust filter (protection level A/P2); for high concentration and long-term exposure, self-contained respirator is necessary.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. If possible prevent leakage, close container and place damaged container in protective container.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

according to Regulation (EC) No 1907/2006 (REACH) as amended

**S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD**

Creation date	29th May 2017	Version	2.0
Revision date	13th December 2022		

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****7.1.1. General health measures**

Use the product after due familiarization with its hazard characteristics and proper training or training in its safe use. Do not eat, drink, smoke on the site. Wash your hands and other contaminated parts of body by soap and water before eating and after the use of product is finished. Abide by requirements on personal hygiene when working with hazardous chemical products.

Use technical equipment on the site to control human and environment exposure. Regularly inspect the equipment, ensure cleaning, timely maintenance and permanent functionality. When working, use the recommended personal protective equipment listed in 8.2 of the Safety Data Sheet. Keep the protective clothing and protective equipment sound and clean. Immediately replace the damaged protective aids for sound ones. Keep the site, tools and aids clean and in sound state. On the site, keep the product in labelled containers or tanks. Store product waste and wastes contaminated by the product in suitable and properly labelled vessels located on designated marked and protected places. Ensure long-term storing of wastes containing the product outside the site.

**7.1.2. Fire precautions**

When using the product, prevent potential ignition or explosion of the mixture of product vapour and air caused by contact with open flame, sparks, extremely hot surfaces, electrostatic discharges. Do not smoke on the site, use non-sparking tools. Places with increased occurrence of the vapour-air mixture need to be ventilated to prevent formation of explosive mixtures. Solvent vapours are heavier than air. The site should be protected from electrostatic discharges.

**7.1.3. Environmental precautions**

Handle the product on a site technically adapted to avoid accidental leakage to sewerage systems, water or soil. Product waste and wastes contaminated by the product to be disposed of as hazardous waste. Waste water contaminated by the product may only be discharged to water reservoirs after the product components are properly removed in a waste water treatment plant or in other appropriate treatment plant able to remove drifted product components from water. Do not pour the product to waste water. Emissions of solvent from point sources are subjected to control requirements acc. to air protection regulations.

**7.2. Conditions for safe storage, including any incompatibilities**

Store the product in properly marked, closed containers in well ventilated spaces at 5 – 25 °C. The storages must meet the requirements on storing of flammable liquids and substances hazardous for aquatic life and soil. Protect from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Store away from oxidising substances and strong acids. Do not store with food, drinks, feed material, medicines. Storages should be protected from static electricity. First aid kit and water suitable for eye rinsing should be available. Keep away from products that are corrosive to metals (eg acids or pool chemicals).

Storage temperature min 5 °C, max 25 °C

**7.3. Specific end use(s)**

The substance hydrocarbons, C10 – C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics was evaluated for use as component of paint for public, industrial and professional use. The only dangerous property requiring classification of the substance is Asp. Aspiration hazard. Tox. 1, H304. There are no limits for safe doses or concentrations for substances with this property, so no quantitative risk assessment is performed. The main condition for the safe use of these substances is to prevent their ingestion (drinking). This requirement is applied in the safety data sheet in the classification and labeling of the product in section 2 and other information contained in the safety data sheet.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

The mixture contains substances for which occupational exposure limits are set.

according to Regulation (EC) No 1907/2006 (REACH) as amended

## S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD

Creation date	29th May 2017	Version	2.0
Revision date	13th December 2022		

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Eye protection is not necessary under normal handling. When working with the risk of being exposed to liquid (solution), use protective goggles or face shield (based on the nature of the work performed).

#### Skin protection

Skin protection: Protective clothes with antistatic finish, protective shoes; treat unprotected skin with barrier cream. Hand protection: Chemical resistant protective gloves (EN 374-1:2003). Suitable material – nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinyl chloride (0.7 mm) and others, time of penetration corresponding to > 480 minutes. The time of penetration specified by the manufacturer should be followed and the glove replaced after expiration. If damaged, the gloves should be replaced immediately.

The selection of suitable protective gloves does not only depend on their material, but also on other qualitative features. Furthermore, since the mixture can be used for various purposes, mixed with other substances, the suitability of gloves for all purposes cannot be predetermined and must be verified in particular use.

#### Respiratory protection

Don't breathe vapours. For short-time exposure or low concentration, use respirator with organic vapour and dust filter (protection level A/P2); for high concentration and long-term exposure, self-contained respirator is necessary.

#### Thermal hazard

Not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage. Ensure that containers are properly closed during storage, handling and transport. Secure storage areas against possible leakage of product into the environment (sewerage, water, soil - see 6.2). Do not flush product into drains or watercourses.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	The product is non-flammable.
Lower and upper explosion limit	data not available
Flash point	>63 °C (EN ISO 2719)
Auto-ignition temperature	>200 °C
Decomposition temperature	data not available
pH	non-soluble (in water)
Kinematic viscosity	<20,5 mm <sup>2</sup> /s at 40 °C
Solubility in water	data not available
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	< 0.1 kPa (0.75 mm Hg)
Density and/or relative density	
Density	0,805 g/cm <sup>3</sup> at 23 °C (EN ISO 2811-1)
Form	liquid

### 9.2. Other information

Evaporation rate	data not available
------------------	--------------------



according to Regulation (EC) No 1907/2006 (REACH) as amended

## S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD

Creation date	29th May 2017	Version	2.0
Revision date	13th December 2022		

Oxidising properties	The product has no oxidizing properties.
Content of organic solvents (VOC)	0,92 kg/kg
Total organic carbon (TOC)	0,77 kg/kg
Solid content (dry matter)	6 % volume
VOC limit value	cat. A (h) SB: 750 g/l
Max. VOC content in the product in its ready to use condition	749 g/l

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

#### 10.2. Chemical stability

The product is volatile and evaporates under standard temperature and pressure. It is stable when stored and handled under standard ambient conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

In terms of health effects, the mixture has not been tested as a whole; the data are adopted from Safety Data Sheets of raw material suppliers. Data that are not specified are currently not available.

##### Acute toxicity

Based on available data the classification criteria are not met.

3-iodo-2-propynyl butylcarbamate

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>		300-500 mg/kg		Rat	
Dermal	LD <sub>50</sub>		>2000 mg/kg		Rat	
Inhalation (dust/mist)	LC <sub>50</sub>		0.67 mg/l	4 hour	Rat	

Hydrocarbons, C10 – C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 401	>5000 mg/kg bw		Rat (Rattus norvegicus)	
Dermal	LD <sub>50</sub>	OECD 402	>2000 mg/kg bw		Rabbit	F/M
Inhalation	LC <sub>50</sub>	OECD 403	>5000 mg/m <sup>3</sup> of air	8 hour	Rat (Rattus norvegicus)	



according to Regulation (EC) No 1907/2006 (REACH) as amended

## S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD

Creation date	29th May 2017	Version	2.0
Revision date	13th December 2022		

permethrin (ISO)

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>		1479 mg/kg		Rat ( <i>Rattus norvegicus</i> )	
Dermal	LD <sub>50</sub>		>2000 mg/kg		Rat ( <i>Rattus norvegicus</i> )	
Inhalation (dust/mist)	LC <sub>50</sub>		>0.599 mg/l	4 hour	Rat ( <i>Rattus norvegicus</i> )	

tebuconazole (ISO)

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>		4000 mg/kg		Rat	M
Oral	LD <sub>50</sub>		1700 mg/kg		Rat	F
Dermal	LD <sub>50</sub>		>5000 mg/kg		Rat	F/M
Inhalation	LC <sub>50</sub>	OECD 403	>5093 mg/m <sup>3</sup>	4 hour	Rat	

### Skin corrosion/irritation

Based on available data the classification criteria are not met. Repeated exposure may cause skin dryness or cracking.

### Serious eye damage/irritation

Based on available data the classification criteria are not met.

### Respiratory or skin sensitisation

Based on available data the classification criteria are not met. The mixture contains sub-threshold amount (< 1%) 3-iodo-2-propynyl butylcarbamate and permethrin (ISO), which sensitize the skin. May produce an allergic reaction.

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### Reproductive toxicity

Based on available data the classification criteria are not met. The mixture contains sub-threshold amount tebuconazole (ISO), that is classified as reproductive toxicant, category 2. The other substances have no reproductive potential.

### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Aspiration hazard

May be fatal if swallowed and enters airways. Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time.

### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

according to Regulation (EC) No 1907/2006 (REACH) as amended

## S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD

Creation date	29th May 2017	Version	2.0
Revision date	13th December 2022		

### Acute toxicity

Information for the mixture are not available. Based on the calculation method and the properties of the substances, the mixture is classified as very toxic to aquatic life with long lasting effects.

3-iodo-2-propynyl butylcarbamate

Parameter	Value	Exposure time	Species	Environment
EC <sub>50</sub>	0.16 mg/l	48 hour	Daphnia (Daphnia magna)	
EC <sub>50</sub>	44 mg/l	3 hour	Bacteria (Salmonella typhimurium)	Activated sludge
EC <sub>50</sub>	0.022 mg/l	72 hour	Algae (Desmodesmus subspicatus)	
LC <sub>50</sub>	0.067 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	

permethrin (ISO)

Parameter	Value	Exposure time	Species	Environment
EC <sub>50</sub>	0.0017 mg/l	48 hour	Daphnia (Daphnia magna)	Freshwater
LC <sub>50</sub>	0.0076 mg/l	96 hour	Fishes (Poecilia reticulata)	Freshwater
EC <sub>50</sub>	0.5 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)	Freshwater

tebuconazole (ISO)

Parameter	Value	Exposure time	Species	Environment
EC <sub>50</sub>	2.79 mg/l	48 hour	Daphnia (Daphnia magna)	
IC <sub>50</sub>	3.8 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)	
LC <sub>50</sub>	4.4 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	
BCF	78			

### 12.2. Persistence and degradability

#### Biodegradability

3-iodo-2-propynyl butylcarbamate

Parameter	Value	Exposure time	Environment	Result
	>80 %	1 hour		

Data not available.

### 12.3. Bioaccumulative potential

3-iodo-2-propynyl butylcarbamate

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	2.8				

according to Regulation (EC) No 1907/2006 (REACH) as amended

## S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD

Creation date	29th May 2017	Version	2.0
Revision date	13th December 2022		

permethrin (ISO)

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	5.95				
BCF	300				

tebuconazole (ISO)

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	3.5				

Not available.

### 12.4. Mobility in soil

The mixture is a liquid insoluble in water, in case of leakage into environment, it may be dispersed over large distances and penetrate into underground water. It contains components with the potential of mobility in soil. When released into the soil may occur due to contamination of groundwater.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

08 01 11 waste paint and varnish containing organic solvents or other hazardous substances \*

#### Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances \*

(\* ) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## SECTION 14: Transport information

### 14.1. UN number or ID number

UN 3082

### 14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((tebuconazole, 3-iodo-2-propynyl butylcarbamate, permethrin ))

according to Regulation (EC) No 1907/2006 (REACH) as amended

## S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD

Creation date	29th May 2017	Version	2.0
Revision date	13th December 2022		

### 14.3. Transport hazard class(es)

9 Miscellaneous dangerous substances and articles

### 14.4. Packing group

III - substances presenting low danger

### 14.5. Environmental hazards

The product is dangerous for the environment.

### 14.6. Special precautions for user

Reference in the Sections 4 to 8. The product is transported in ordinary and covered means of transport, protected against the weather, shocks and falls.

### 14.7. Maritime transport in bulk according to IMO instruments

Not classified.

#### Additional information

Hazard identification No.

**90**

UN number


**3082**

Classification code

M6

Safety signs

9+hazardous for the environment



#### Air transport - ICAO/IATA

Packaging instructions passenger 964

Cargo packaging instructions 964

#### Marine transport - IMDG

EmS (emergency plan) F-A, S-F

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended.

### 15.2. Chemical safety assessment

The chemical safety assessment was carried out for the hydrocarbons, C10 – C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics during its registration. The conclusions of the assessment for the use of the substance as fuel (except fuels for motor technology) are incorporated in this Safety Data Sheet.

## SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.

according to Regulation (EC) No 1907/2006 (REACH) as amended

## S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD

Creation date	29th May 2017	Version	2.0
Revision date	13th December 2022		

H318	Causes serious eye damage.
H331	Toxic if inhaled.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to larynx through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H302+H332	Harmful if swallowed or if inhaled.

### Guidelines for safe handling used in the safety data sheet

P102	Keep out of reach of children.
P273	Avoid release to the environment.
P301+P310	IF SWALLOWED: Immediately call a doctor.
P501	Dispose of contents/container to in accordance with local regulations by handing over to a person authorized to dispose of waste or a site designated by the town.
P103	Read label before use.
P261	Avoid breathing vapours.
P280	Wear protective gloves/eye protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.

### A list of additional standard phrases used in the safety data sheet

EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains 3-iodo-2-propynyl butylcarbamate, permethrin (ISO). May produce an allergic reaction.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
ES	Identification code for each substance listed in EINECS
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC <sub>50</sub>	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry

according to Regulation (EC) No 1907/2006 (REACH) as amended

## S 1033 LAZUROL IMPREGNAČNÍ ZÁKLAD

Creation date	29th May 2017	Version	2.0
Revision date	13th December 2022		

LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
log K <sub>ow</sub>	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution from Ships
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Eye Dam.	Serious eye damage
Repr.	Reproductive toxicity
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Use the product safely. Always read the marking and information on the product before use.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

Commission Regulation (EU) 2020/878 of 18 June 2020. REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

The version 2.0 replaces the SDS version from 29.5.2017. Overall revision of SDS according to Commission Regulation (EU) 2020/878.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.